SAFETY DATA SHEET

1. Identification

Label elements

Product identifier	American Safety Technolo	ogies MS-440G LI	R - Part B
Other means of identification	M0 40011		
SKU#	MS432H		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	ITW Engineered Polymers		
Address	130 Commerce Drive		
	Montgomeryville, PA 18936		
Talaahaaa	United States Customer Service		
Telephone		215-855-8450	
Website	www.itwengineeredpolymer	s.com	
E-mail	orders.na@itwep.com		
Contact person	EHS Department CHEMTREC	000 404 0000	
Emergency phone number	International	800-424-9300 703-527-3887	
	International	103-321-3001	
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 4
	Acute toxicity, dermal		Category 4
	Skin corrosion/irritation		Category 1C
	Serious eye damage/eye irr	itation	Category 1
	Sensitization, skin		Category 1
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		



Signal word	Danger
Hazard statement	Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.
Precautionary statement	
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

4. First-aid measures

Mixturoe

98.47% of the mixture consists of component(s) of unknown acute oral toxicity. 100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 98.47% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 98.47% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Amidoamine resin		68991-84-4	60 - 100
POLYAMINES AND FATTY ACIDS REACTANT		68953-36-6	10 - 30
3,6,9-triazaundecamethylenediamine	1	112-57-2	1 - < 3
Other components below reportable	e levels		7 - 13

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns Skin contact must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse. Eve contact Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may Most important include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including symptoms/effects, acute and blindness could result. delayed Indication of immediate Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an medical attention and special ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under treatment needed observation. Symptoms may be delayed. General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. 5. Fire-fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters Fire fighting Move containers from fire area if you can do so without risk. equipment/instructions Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	tal Exposure Level (WEEL) Guides Type	Value	Form
3,6,9-triazaundecamethylen ediamine (CAS 112-57-2)	TWA	5 mg/m3	Aerosol.
		1 ppm	Aerosol.
Biological limit values	No biological exposure limits noted for the	e ingredient(s).	
Exposure guidelines			
US WEEL Guides: Skin desi	gnation		
3,6,9-triazaundecamethy	lenediamine (CAS 112-57-2) Can be al	osorbed through the skin.	
Appropriate engineering controls	Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been establishe wash facilities and emergency shower ma	cable, use process enclos airborne levels below rec d, maintain airborne level	ures, local exhaust ventilation, ommended exposure limits. If s to an acceptable level. Eye
Individual protection measures,	such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or recommended.	goggles) and a face shie	ld. Face shield is
Skin protection			
Hand protection	Wear appropriate chemical resistant glov	es.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		s apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Keep away from food and drink. Always of washing after handling the material and b work clothing and protective equipment to should not be allowed out of the workplace	efore eating, drinking, an p remove contaminants. C	d/or smoking. Routinely wash

9. Physical and chemical properties

Appearance	Viscous. Liquid.
Physical state	Liquid.
Form	Viscous. Liquid.
Color	Amber
Odor	Ammoniacal.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.

Initial boiling point and boiling	Not available.
Flash point	> 230.0 °F (> 110.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	7.94 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	0.95
VOC	1.8 lb/gal Mixed components
100	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Information on toxicological ef	fects

Acute toxicity

Harmful in contact with skin. Harmful if swallowed.

Components	Species	Test Results	
3,6,9-triazaundecamethylenedian	nine (CAS 112-57-2)		
Acute			
Dermal			
LD50	Rabbit	0.66 g/kg	
* Estimates for product may	pe based on additional component data	not shown.	
Skin corrosion/irritation	Causes severe skin burns and eye da	amage.	
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product mutagenic or genotoxic.	or any components present at greater than 0.1% are	
Carcinogenicity	Not classifiable as to carcinogenicity	to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed. OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-105	50)	
Not regulated.			
US. National Toxicology Pr Not listed.	ogram (NTP) Report on Carcinogens		
Reproductive toxicity	This product is not expected to cause	e reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information	n		
Ecotoxicity		onmentally hazardous. However, this does not exclude the can have a harmful or damaging effect on the environment.	
Persistence and degradability			
Bioaccumulative potential			
Partition coefficient n-octa 3,6,9-triazaundecamethylene			
Mobility in soil	No data available.		
Other adverse effects		cts (e.g. ozone depletion, photochemical ozone creation I warming potential) are expected from this component.	
13. Disposal consideratio	ns		
Disposal instructions		led containers at licensed waste disposal site. Dispose of n local/regional/national/international regulations.	
Local disposal regulations		Dispose in accordance with all applicable regulations.	
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging		product residue, follow label warnings even after container i taken to an approved waste handling site for recycling or	
14. Transport information	I		

14. Transport information

DOT

UN proper shipping name Transport hazard class(es)	Paint
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	
	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B52, IB3, T4, TP1, TP29
Packaging exceptions	154
Packaging non bulk	173
Packaging bulk	241
ΙΑΤΑ	
UN number	UN3066
UN proper shipping name	Paint
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	8L
	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3066
UN proper shipping name	Paint
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	Not available.
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
DOT	





15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed. SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section	on 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
Clean Air Act (CAA) Sectio	on 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 is not known to contain any chemicals currently listed as carcinoge	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	04-02-2014	
Revision date	03-08-2017	
Version #	03	
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 1 Personal protection: X	
NFPA ratings	Health: 2 Flammability: 1 Instability: 1	
Disclaimer	ITW Engineered Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.	
Revision information	This document has undergone significant changes and should be reviewed in its entirety.	

Yes